

Detailed Nutritional Analysis:
RawTernative Beef and Beef Organs

| Ingredient Name | Actual | Units |
|---------------------------------|--------|--------|
| Phosphorus (total) | 1.45 | % |
| Potassium (total) | 0.58 | % |
| Magnesium (total) | 0.11 | % |
| Calcium (total) | 2.46 | % |
| Sodium (total) | 0.58 | % |
| Iron (total) | 446 | ppm |
| Manganese (total) | 16.3 | ppm |
| Copper (total) | 38.2 | ppm |
| Zinc (total) | 227 | ppm |
| Cystine | 0.36 | % |
| Sulfur (total) | 0.4 | % |
| Methionine | 0.54 | % |
| Taurine | 0.1 | % |
| Capric (C10:0) | 0.02 | g/100g |
| Lauric (C12:0) | 0.06 | g/100g |
| Myristic (C14:0) | 1.26 | g/100g |
| Myristoleic (C14:1 Trans) | 0.01 | g/100g |
| Myristoleic (C14:1 Cis) | 0.17 | g/100g |
| Pentadecanoic (C15:0) | 0.2 | g/100g |
| Palmitic (C16:0) | 7.86 | g/100g |
| Palmitelaidic (C16:1 Trans) | 0.13 | g/100g |
| Palmitoleic (C16:1 Cis) | 0.88 | g/100g |
| Heptadecanoic (C17:0) | 0.397 | g/100g |
| 10-Heptadecanoic (C17:1) | 0.26 | g/100g |
| Stearic (C18:0) | 6.32 | g/100g |
| Oleic (C18:1 Cis) | 13.7 | g/100g |
| Linolelaidic (C18:2 Trans) | 0.08 | g/100g |
| Linoleic (C18:2 Cis) | 0.77 | g/100g |
| Nonadecanoic (C19:0) | 0.03 | g/100g |
| alpha-Linolenic (C18:3 alpha) | 0.64 | g/100g |
| Arachidic (C20:0) | 0.07 | g/100g |
| 11-Eicosenoic (C20:1) | 0.07 | g/100g |
| Homo-gamma linolenic (C20:3) | 0.04 | g/100g |
| 11-14-17 Eicosatrienoic (C20:3) | 0.01 | g/100g |
| Arachidonic (C20:4) | 0.14 | g/100g |
| Eicosapentaenoic (C20:5) | 0.09 | g/100g |
| Behenic (C22:0) | 0.02 | g/100g |
| Docosapentaenoic (C22:5) | 0.12 | g/100g |
| Docosahexaenoic (C22:6) | 0.05 | g/100g |
| Lignoceric (C24:0) | 0.01 | g/100g |